	Telo	DELIMINATION OF CO	BLIC HEALTH AND	A second of the second	RVICES	OIV	
			F ENVIRONMENTA _D CARE FACILI	Access to the second se		- Control	LIVE
	(beuni	CANAL SPECIAL SPECIAL PROPERTY.	PECTION REPO			VD. PREMI	OCATION AL
REA	SON GRADE	Inspection Date:			dost smoke	21000 .00,00	monteent
Regular	N	12/7/16	TENDER SI		PKESO	THOOL IC	CC 0
Follow-U		Time In/Out:	OWNER/OPERATO LV THERAN		IA O	e GUI	KM
Complain Investigat		10:30 n 20	LOCATION:	Elemo galem	Establish		
Other:	Δ	Sanitary Permit No.:	MAGATURA	approved	CCC	ment Type:	SURP
a	best protes	20000-160002363	PERMIT STATUS:	Valid	Te	mporary .	Expire
		Female 42 Total	Child Care License: I				
		fy violations found this da					
inspection		epartment indicates. Not request for hearing must					Sion. To appe
ITEM*	distributed has soleted	hand antis palium REV	IARKS			DEMERIT	CORRECT
	A REGULA	A INSPECTION	WAS COND	VCTIEP.	1 5777345	5000 0	BUTTE SPACE
8	PREVIOLA	INSPECTION I	CONDUCTED	UN	a lor, daylin	סו והמספר פר	Adequact
	7/15/16 (			LAMBURY	VOYA N		
l a	Contract of the second	er united at the second second	4 1 28	Destriction of	ns alem lo ,	epivoti sto	[FIGHLIGHT]
	TIME ENCL	WIND WAS	OBS ERVE	Hadis rast own	and Disease	15.63100195	ion etertw.t
1	THE FOLLO	WIND WAS	OPS KINIE	,		sidelteva e	em anau 1 0
		emation: authorsio	m				
	NO VIOL	A710WS	18			on on contra	CATITAL
	(Target	at stall and out of children's ra	of				3173// 22//
8	nent kept in neat.	l areas facilities and equipm	A IS A	reniently	h basin com	and one wa	Pelici anO
	"A" PLACAR	D A 02162	155 VIZ 0			Committee of the	
D	Oblia officers	os and mars deanud, disk	22 1 32 1	dily accessible	as to be rea	paddinba pu	2 and size
		VIII				1,950,1	NO ENDOUG
	BRIRFED	011	SSAME CAI	NO 51	Cultury and	OF THE PROPERTY.	7111 UNDE
- 2		osets or cabinots		0.0		YJ	ATER SUR
	ABOVE		101				
3:		notizaego lo syllod prinj				anonaenno	sagno ovi 1
2	communication and	lephone or other means of	ac I ac	Sometime Stations	hom sain es	tonie rates	stermen A a
1	hehlyong	281 COCY made in notice of	G 70 1 1	inittie	al-marianhih h	simpao hae	
2	be	utside factor of 3Mt provide	0 88	philippine and a second		SILITIES.	TOHEN FA
Uo	DISEASE CONTR	NINEL - HEALTH & C	2   PERSO	olean and in	таех топте	ngs and etc	Twalls, rel
				tyely screened	toelle service	ia setto ba	EwobniW -
7	bateon	mant Santary Permit and	ETI PRILITY		- Miller	FIRE PLANT	Man Hall
Lho	ve read and under	stand the above violat	ion(s) and I am aw	are of the co		easures to	be taken
	1 - A 7 - A	following items are	Received By (N		* 1	/	
	above, they shall I	be corrected within		SUB-TOTAL:		DIVE	CHOY
	10 days of this	inspection:	DEH Inspector	(Name & Tit	le)	N .	
(2), (4), (	b), (14), (21), (23), (24)	4), (27), (28), (39) & (40).	12.01-VC	RPHOL	101.0	AIRCHA	42 PHO 1

Rev: 08/2/05 DEH-06

White Copy - DEH Yellow Copy - Establishment